

Unmanaged		RJ-45		Fiber					PoE		
	Port #	10/100 Mbps	Giga bit	10/100 Mbps	Giga bit	GE Combo ports	Type	Connector	RJ-45 (10/100 Mbps)	RJ-45 (Gigabit)	Wide temp
EKI-2525-BE	5	5									N
EKI-2525I-BE	5	5									W
EKI-2525M-BE	5	4		1			Multi-mode	SC			N
EKI-2526M-AE	6	4		2			Multi-mode	SC			N
EKI-2525M-ST-BE (E/Jul.)											
EKI-2526S-AE	6	4		2			Single-mode	SC			N
EKI-2528-BE	8	8									N
EKI-2528I-BE	8	8									W
EKI-2528PAI-AE	8	4							4		W
EKI-2725-CE	5		5								N
EKI-2728-BE	8		8								N
EKI-2728I-BE	8		8								W
EKI-2728MI-AE	8		6		2		Multi-mode	SC			W
EKI-7529MI/ST-AE	10	8		2			Multi-mode	ST			W
EKI-7629CP-AE	10					2	SFP		8		N
EKI-7629CPI-AE	10					2	SFP		8		W
EKI-2525P-BE	5	1							4		N
EKI-2525PA-AE	5	1							4		N
EKI-2526PI-AE	6	2							4		W
EKI-2528PAI-AE	8	4							4		W
ADAM-6541/ST-AE	2	1		1			Multi-mode	ST			N
ADAM-6541-AE	2	1		1			Multi-mode	SC			N
ADAM-6521/ST-AE	5	4		1			Multi-mode	ST			N
ADAM-6521-AE	5	4		1			Multi-mode	SC			N
ADAM-6521S-AE	5	4		1			Single-mode	SC			N
EKI-2726FHPI-AE	6		4		2		SFP		4		W
EKI-2706E-1GFP-AE	6		1		1				4		N
EKI-2706E-1GFPI-AE	6		1		1				4		W
EKI-2706G-1GFP-AE	6		1		1					4	N
EKI-2706G-1GFPI-AE	6		1		1					4	W
EKI-2728M-BE(E/Sep.)	8		6		2		Multi-mode	SC			N
EKI-2728MI-BE(E/Sep.)	8		6		2		Multi-mode	SC			W
EKI-2728S-BE(E/Sep.)	8		6		2		Single-mode	SC			N
EKI-2728SI-BE E/Sep.)	8		6		2		Single-mode	SC			W
EKI-2428G-4CI-AE	28		24			4					W
WiFi AP	Description						RJ-45				
							10/100 Mbps		Connector	Wireless	
EKI-6232GN-AE	802.11 b/g/n WiFi client						1		Client	2.4G b/g/n	
EKI-6331AN-BE	IEEE802.11a/n Wi-fi AP/Client US						1		AP/Client	5G a/n	
EKI-6331AN-EU-BE	IEEE802.11a/n Wi-fi AP/Client EU						1		AP/Client	5G a/n	
EKI-6332GN-AE	IEEE802.11b/g/n Wi-fi AP/Client US						1		AP/Client	2.4G b/g/n	
EKI-6332GN-EU-AE	IEEE802.11b/g/n Wi-fi AP/Client EU						1		AP/Client	2.4G b/g/n	
ANT-2216M-G2E	16 dBi 2.4G MIMO Patch Antennna										
ANT-2216M-G5E	16 dBi 5G MIMO Patch Antenna										
ANT-5130-AE	3M N-Plug to SMA-Plug cable						-		-	-	
ANT-5230-AE	3M N-Plug to N-Plug cable						-		-	-	
ANT-5501-AE	1KV Surge Arrestor N-Jack to N-Jack						-		-	-	
ANT-5502-AE	1KV Surge Arrestor N-Plug to N-Jack						-		-	-	
ANT-5601-AE	Bulkhead adapter N-Jack to N-Jack						-		-	-	

Unmanaged / Proview		RJ-45		Fiber					PoE		
	Port #	10/100 Mbps	Giga bit	10/100 Mbps	Giga bit	GE Combo ports	Type	Connector	RJ-45 (10/100 Mbps)	RJ-45 (Gigabit)	Wide temp
EKI-5525-AE	5	5									N
EKI-5525I-AE	5	5									W
EKI-5525S-AE	5	4		1			Single-mode	SC			N
EKI-5525SI-AE	5	4		1			Single-mode	SC			W
EKI-5525S-ST-AE	5	4		1			Single-mode	ST			N
EKI-5525SI-ST-AE	5	4		1			Single-mode	ST			W
EKI-5525M-AE	5	4		1			Multi-mode	SC			N
EKI-5525MI-AE	5	4		1			Multi-mode	SC			W
EKI-5525M-ST-AE	5	4		1			Multi-mode	ST			N
EKI-5525MI-ST-AE	5	4		1			Multi-mode	ST			W
EKI-5528-AE	8	8									N
EKI-5528I-AE	8	8									W
EKI-5629C-AE	10	8				2	SFP				N
EKI-5629CI-AE	10	8				2	SFP				W
EKI-5725-AE	5		5								N
EKI-5725I-AE	5		5								W
EKI-5728-AE	8		8								N
EKI-5728I-AE	8		8								W
EKI-5726-AE	16		16								N
EKI-5726I-AE	16		16								W
EKI-5626C-AE	18	16				2	SFP				
EKI-5626CI-AE	18	16				2	SFP				
EKI-5524SS-AE	6	4		2			Single-mode	SC			N
EKI-5524SSI-AE	6	4		2			Single-mode	SC			W
EKI-5524SS-ST-AE	6	4		2			Single-mode	ST			N
EKI-5524SSI-ST-AE	6	4		2			Single-mode	ST			W
EKI-5726F-AE	18		16		2		SFP				N
EKI-5726FI-AE	18		16		2		SFP				W
EKI-5729F-AE	10		8		2		SFP				N
EKI-5729FI-AE	10		8		2		SFP				W
EKI-5524MM-AE	6	4		2			Multi-mode	SC			N
EKI-5524MMI-AE	6	4		2			Multi-mode	SC			W
EKI-5524MM-ST-AE	6	4		2			Multi-mode	ST			N
EKI-5524MMI-ST-AE	6	4		2			Multi-mode	ST			W
EKI-5526-AE	16	16									N
EKI-5526I-AE	16	16									W
EKI-5624PI-AE	6		2						4		W
EKI-5624P-AE	6		2						4		N
EKI-5729PI-AE	10		2							8	W
EKI-5729P-AE	10		2							8	N

Managed		RJ-45		Fiber					PoE		
	Port #	10/ 100 Mbps	Giga bit	10/ 100 Mbps	Giga bit	GE Combo ports	Type	Conne ctor	RJ-45 (10/ 100 Mbps)	RJ-45 (Giga bit)	Wide temp
EKI-7710E-2C-AE	10	8				2	SFP				N
EKI-7710E-2CI-AE	10	8				2	SFP				W
EKI-7710G-2C-AE	10		8			2	SFP				N
EKI-7710G-2CI-AE	10		8			2	SFP				W
EKI-2548I-AE	8	8									W
EKI-2748CI-AE	8		6			2	SFP				W
EKI-7428G-4CI	28		24			4	SFP				W
EKI-7554MI-AE	6	4		2			Multi-mode	SC			W
EKI-7554SI-AE	6	4		2			Single-mode	SC			W
EKI-7559MI-AE	10	8		2			Multi-mode	SC			W
EKI-7559SI-AE	10	8		2			Single-mode	SC			W
EKI-7654C-AE	6	4				2	SFP				N
EKI-7656C-AE	18	16				2	SFP				N
EKI-7656CI-AE	18	16				2	SFP				W
EKI-7657C-AE	10	7				3	SFP				N
EKI-7657CI-AE	10	7				3	SFP				W
EKI-9312-P0ID42E	12		8		4		SFP				W
EKI-9316-C0ID42E	16		12		4		SFP				W
EKI-7710E-2CP-AE	10					2	SFP		8		N
EKI-7710E-2CPI-AE	10					2	SFP		8		W
EKI-7710G-2CP-AE	10					2	SFP			8	N
EKI-7710G-2CPI-AE	10					2	SFP			8	W
EKI-7428G-4CPI-AE	28					4	SFP			24	W
EKI-9228G-8CMI-AE	28		16		4	8	SFP				W
EKI-9228G-8COI-AE	28		16		4	8	SFP				W
EKI-7712E-4F-AE	12	8			4		SFP				N
EKI-7712E-4FI-AE	12	8			4		SFP				W
EKI-7712G-4F-AE	12		8		4		SFP				N
EKI-7712G-4FI-AE	12		8		4		SFP				W
EKI-7712G-4FP-AE	12				4		SFP			8	N
EKI-7712G-4FPI-AE	12				4		SFP			8	W
EKI-7720E-4F-AE	20	16			4		SFP				N
EKI-7720E-4FI-AE	20	16			4		SFP				W
EKI-7720G-4F-AE	20		16		4		SFP				N
EKI-7720G-4FI-AE	20		16		4		SFP				W
EKI-7712E-4FP-AE	12				4		SFP			8	N
EKI-7712E-4FPI-AE	12				4		SFP			8	W
EKI-7706E-2F-AE (E/Jul.)	6	4			2		SFP				N
EKI-7706E-2FI-AE (E/Jul.)	6	4			2		SFP				W
EKI-7706G-2F-AE (E/Jul.)	6		4		2		SFP				N
EKI-7706G-2FI-AE (E/Jul.)	6		4		2		SFP				W
EKI-7708E-4F-AE (E/Jul.)	8	4			4		SFP				N
EKI-7708E-4FI-AE (E/Jul.)	8	4			4		SFP				W
EKI-7708G-4F-AE (E/Jul.)	8		4		4		SFP				N
EKI-7708G-4FI-AE (E/Jul.)	8		4		4		SFP				W
EKI-7708E-4FP-AE (E/Jul.)	8				4		SFP		4		N
EKI-7708E-4FPI-AE (E/Jul.)	8				4		SFP		4		W

EKI-7708G-4FP-AE (E/Jul.)	8				4		SFP			4	N
EKI-7708G-4FPI-AE (E/Jul.)	8				4		SFP			4	W
EKI-7716E-4F-AE (E/Oct.)	16	8			4	4	SFP				N
EKI-7716E-4FI-AE (E/Oct.)	16	8			4	4	SFP				W
EKI-7716G-4F-AE (E/Oct.)	16		8		4	4	SFP				N
EKI-7716G-4F-AE (E/Oct.)	16		8		4	4	SFP				W
EKI-7428G-4FA-AE (E/Aug.)	28		24		4		SFP				N
EKI-9612G-4FI-AE (E/Aug.)	12				4		SFP			8	W
EKI-9628G-4CI-AE (E/Aug.)	28		24			4	SFP				W
EKI-9728G-4X8CI-AE (E/Dec.)	28		16			8	SFP	plus 4x 10G SFP			W

Managed/ Protocol		RJ-45		Fiber					PoE		
	Port Numb ers	10/ 100 Mbps	Giga bit	10/ 100 Mbps	Giga bit	GE Combo ports	Type	Connect or	RJ-45 (10/ 100 Mbps)	RJ- 45(Giga bit)	Wide temp
EKI-5528-PNMA	8	8									N
EKI-5528-PN	8	8									N
EKI-5528I-PN	8	8									W
EKI-5526-PN	16	16									N
EKI-5526I-PN	16	16									W
EKI-5629C-PN	10	8				2	SFP				N
EKI-5629CI-PN	10	8				2	SFP				W
EKI-5626C-PN	18	16				2	SFP				N
EKI-5626CI-PN	18	16				2	SFP				W
EKI-5528-EI	8	8									N
EKI-5528I-EI	8	8									W
EKI-5526-EI	16	16									N
EKI-5526I-EI	16	16									W
EKI-5629C-EI	10	8				2	SFP				N
EKI-5629CI-EI	10	8				2	SFP				W
EKI-5626C-EI	18	16				2	SFP				N
EKI-5626CI-EI	18	16				2	SFP				W
EKI-5528-MB	8	8									N
EKI-5528I-MB	8	8									W
EKI-5526-MB	16	16									N
EKI-5526I-MB	16	16									W
EKI-5629C-MB	10	8				2	SFP				N
EKI-5629CI-MB	10	8				2	SFP				W
EKI-5626C-MB	18	16				2	SFP				N
EKI-5626CI-MB	18	16				2	SFP				W

Accessory Cable :

OPT1-DB9-AEOPT1I-AEOPT1J-AE

Device Server/ Protocol Gateway	Serial			RJ-45				
	Port #	RS232/RS422/RS485	Isolation Y/N	10/100 Mbps	10/100/1000 Mbps	Wireless	Power Input AC/DC	Wide temp
ADAM-4570-CE	2	RS232/422/485	N	1			10~30VDC	N
ADAM-4570L-DE	2	RS232	N	1			10~30VDC	N
ADAM-4571-CE	1	RS232/422/485	N	1			10~30VDC	N
ADAM-4571L-DE	1	RS232	N	1			10~30VDC	N
ADAM-4572-CE	1	RS232/422/485	N	1			10~30VDC	N
EKI-1221-BE	1	RS232/422/485	N	2			12~48VDC	N
EKI-1221CI-BE	1	RS422/485	Y	2			12~48VDC	Y
EKI-1221I-BE	1	RS232/422/485	N	2			12~48VDC	Y
EKI-1221IEIMB-AE			N	2			12~48VDC	Y
EKI-1221IPNMB-AE			N	2			12~48VDC	Y
EKI-1222-BE	2	RS232/422/485	N	2			12~48VDC	N
EKI-1222CI-BE	2	RS422/485	Y	2			12~48VDC	Y
EKI-1222I-BE	2	RS232/422/485	N	2			12~48VDC	Y
EKI-1224-BE	4	RS232/422/485	N	2			12~48VDC	N
EKI-1224CI-BE	4	RS422/485	Y	2			12~48VDC	Y
EKI-1224I-BE	4	RS232/422/485	N	2			12~48VDC	Y
EKI-1331-AE	1	RS232/422/485	N	1		3G	12~48VDC	N
EKI-1361-AE	1	RS232/422/485	N	2		WiFi b/g/n	12~48VDC	N
EKI-1361-MB-AE	1	RS232/422/485	N	2		WiFi b/g/n	12~48VDC	N
EKI-1362-AE	2	RS232/422/485	N	2		WiFi b/g/n	12~48VDC	N
EKI-1362-MB-AE	2	RS232/422/485	N	2		WiFi b/g/n	12~48VDC	N
EKI-1511X-AE	1	RS422/485	N	1			12~48VDC	N
EKI-1512X-AE	2	RS422/485	N	1			12~48VDC	N
EKI-1521-BE	1	RS232/422/485	N	2			12~48VDC	N
EKI-1521CI-BE	1	RS422/485	Y	2			12~48VDC	Y
EKI-1521I-BE	1	RS232/422/485	N	2			12~48VDC	Y
EKI-1522-BE	2	RS232/422/485	N	2			12~48VDC	N
EKI-1522CI-BE	2	RS422/485	Y	2			12~48VDC	Y
EKI-1522I-BE	2	RS232/422/485	N	2			12~48VDC	Y
EKI-1524-BE	4	RS232/422/485	N	2			12~48VDC	N
EKI-1524CI-BE	4	RS422/485	Y	2			12~48VDC	Y
EKI-1524I-BE	4	RS232/422/485	N	2			12~48VDC	Y
EKI-1526-CE	16	RS232/422/485	N		2		110~240VAC	N
EKI-1526T-VDC-CE	16	RS232/422/485	N		2		12-48VDC	N
EKI-1528-CE	8	RS232/422/485	N		2		110~240VAC	N
EKI-1528CI-DR-AE	8	RS422/485	Y		2		12~48VDC	Y
EKI-1528I-DR-AE	8	RS232/422/485	N		2		12~48VDC	Y
EKI-1528T-VDC-CE	8	RS232/422/485	N		2		12-48VDC	N
USB-4604B-BE	4	RS232	N					N
USB-4604BM-BE	4	RS232/422/485	N					N
EKI-1526I-CE	16	RS232/422/485	N		2		110~240VAC	Y
EKI-1526TI-VDC-CE	16	RS232/422/485	N		2		12-48VDC	Y
EKI-1528I-CE	8	RS232/422/485	N		2		110~240VAC	Y
EKI-1528TI-VDC-CE	8	RS232/422/485	N		2		12-48VDC	Y